


INTERIOR SYSTEMS

COMPLETE PRE-ENGINEERED INTERIOR SYSTEMS



EVERYTHING YOU NEED TO CREATE SECURE, ECONOMICAL STORAGE SPACES

The Wayne Dalton Interior Wall System is a complete, pre-engineered system for climate-controlled, interior storage units. Built for durability, it is ideal for new construction or retrofit applications.

Flush Cor-O-Wall[™] and corrugated Mod-U-Wall[™] panels can incorporate roll-up doors and swing doors in any configuration.

- » FAST, EASY TO INSTALL
- » STRONG AND SECURE
- » EASY TO OPERATE AND ADJUST
- » FEATURING DS-75
 & DS-100 ROLL-UP
 DOORS
- » TRIM INTERIOR SYSTEM

INTERIOR SYSTEMS

ONE SOURCE: EVERYTHING YOU NEED.

We will engineer a complete interior self storage for your space, then handle all aspects of installation. Everything you need to open for business.



MID-SPAN BRACE

20-gauge channel provides added strength and integrity to Mod-U-WallTM and Cor-O-Wall.TM Available in Glossy White and Galvanized.




SOFFIT

Soffit installed above the hallway provides an attachment point for hallway lighting. Hallway soffit completes the interior system and provides security above the storage unit.



ROLL-UP DOORS


DS-75 & DS-100 mini roll-up doors manufactured from 26-gauge galvanized steel, primed then finished with high gloss, silicone polyester paint. Available in 25 colors.





ROLL-UP FRAME TRIM SYSTEM (STANDARD)

20-gauge roll-up frames featuring 2" returns maximize space and are designed for strength to accept DS-75 & DS-100 mini roll-up doors. Base anchors included. Available in Glossy White. Roll-up frames with 4" returns available.



standard colors.

INTERIOR SYSTEMS



MOD-U-WALL™

Corrugated 26-gauge panel can be used as a divider partition inside each unit or as a hallway panel to keep costs at a minimum. Mod-U-Wall™ divider partitions interlock without the use of exposed screws. Angle and channel are included. Available in Glossy White and Galvanized.



BURGLAR BARS

20-gauge channels installed above the storage unit are an alternative to wire mesh. Burglar bars are installed 8" on center and provide security between each unit and above the hallway. Available in Glossy White and Galvanized.



COR-O-DOOR™ & LOCKER DOOR

Cor-O-Doors and Locker Doors are manufactured with an extruded aluminum frame. Mitered corners in the frame and the cross brace on the back of the door add strength to the swing door. Cor-O-Door™ frame and header are manufactured from 20-gauge steel to the height required in the hallway. Frame and header are available in Glossy White. Swing doors are available in 25 standard colors.



MO-CAPS

Plastic covers should be used to encase any exposed ends of the screws to reduce the opportunity for personal injury or property damage.



CORNER GUARDS AND KICK PLATES

Corner guards protect exposed corners in the hallway and are available up to 10 ft. Available in 20-gauge galvanized steel and aluminum diamond plate.

Kick plates are installed at the bottom of the hallway to prevent damage caused by tenants moving into the storage unit. Kick plates are available in 20-gauge galvanized steel and aluminum diamond plate.

TENSION-PRO® ADJUSTABLE SPRING DEVICE

Uses a standard pipe wrench to tighten or loosen tension. One person can adjust the door in about a minute. Patent #6,527,037.

CURTAIN LOCK

Standard curtain lock designed for owner/tenant security. Rust Resistant.

Additional lock types available.





FINISH OPTIONS

20 year warranty against chalk and fade



Actual door colors may vary from brochure due to fluctuations in the printing process. Steel color chips available upon request.

Harvest Orange

Note: Some colors may have extended lead times. Please consult your local Wayne Dalton Dealer for details.

Purple

* White is also available in a Glossy White finish.

Maroon

Teal

WARRANTY: Wayne Dalton and its subsidiaries back all of their doors and fittings with a LIMITED WARRANTY against defects in materials and workmanship. Paint has a limited warranty to hold up against weather induced chipping, cracking and peeling for 25 years. Refer to each color for the number of years warranted not to chalk or change color. A copy of this warranty is available upon request.



MAKE IT A COMPLETE WAYNE DALTON PROJECT

Specify Wayne Dalton exterior self-storage doors for your outside units, too. Doors are available in matching colors.

- · Corrugated steel door curtain is primed and finished with high gloss silicone polyester paint
- Rigid support brackets hold constant spring tension
- Polypropylene anti-wear strips for quieter operation and longer service life
- Automatic door stops prevent spring from rolling past header
- Tempered steel springs counterbalance door for easy, smooth operation
- Heavy-duty axle supports door curtain and counterbalance system



Visit wayne-dalton.com/architect-resource-center to find our Architect Resource Center. In this tool, you will quickly find all of the specifications, drawings and documents you need to complete your project.



DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com











